## (b) <u>Amendments to the Claims</u>:

A detailed listing of the claims is provided below which replaces all earlier listings.

1. (Currently Amended) A polyhydroxyalkanoate copolymer comprising at least, per polymer molecule, one kind of unit selected from the group consisting of chemical formulae (1) and (2):

(wherein R is any one selected from the group consisting of H, halogen, CN, NO<sub>2</sub>, COOR', SO<sub>2</sub>R'' (R' is any one selected from the group consisting of H, Na, K, CH<sub>3</sub> and C<sub>2</sub>H<sub>5</sub>; R'' is any one selected from the group consisting of OH, ONa, OK, halogen, OCH<sub>3</sub> and OC<sub>2</sub>H<sub>5</sub>), CH<sub>3</sub>, C<sub>2</sub>H<sub>5</sub>, C<sub>3</sub>H<sub>7</sub>, (CH<sub>3</sub>)<sub>2</sub>-CH and (CH<sub>3</sub>)<sub>3</sub>-C, and when more than one unit exist, R of each unit can represent any one of the substituents described above independently; and x is an integer selected from 1 to 7 and can differ for each unit)

$$CH_{2}$$
 $CH_{2}$ 
 $C$ 

(wherein R is any one selected from the group consisting of H, halogen, CN, NO<sub>2</sub>, COO R', SO<sub>2</sub>R'' (R' is any one selected from the group consisting of H, Na, K, CH<sub>3</sub> and C<sub>2</sub>H<sub>5</sub>; R'' is any one selected from the group consisting of OH, ONa, OK, halogen, OCH<sub>3</sub> and OC<sub>2</sub>H<sub>5</sub>), CH<sub>3</sub>, C<sub>2</sub>H<sub>5</sub>, C<sub>3</sub>H<sub>7</sub>, (CH<sub>3</sub>)<sub>2</sub>-CH and (CH<sub>3</sub>)<sub>3</sub>-C, and when more than one unit exist, R of each unit can represent any one of the substituents described above independently; and x is an integer selected from 1 to 7 and can differ for unit) and at least one unit selected from the group consisting of chemical formulae (3) to (6):

$$-\left[O - CH - CH_{2} - C - \right] - \left[CH_{2}\right]m$$
Rz  $m = 1-8$  (3)

(wherein m is an integer selected from the range shown in the same chemical formula; wherein Rz in chemical formula (3) is any one residue selected from the group consisting of chemical formulae (8), (9), (10), [[(11)]], (12), (13), (14) and (15):

(wherein  $R_1$  is any one selected from the group consisting of H, halogen, CN, NO<sub>2</sub>, COOR' except the substituent introduced into the para- position of the phenyl group (R' is any one selected from the group consisting of H, Na and K), CH<sub>3</sub>,  $C_2H_5$ ,  $C_3H_7$ ,  $CF_3$ ,  $C_2F_5$  and  $C_3F_7$ , and when more than one unit exist,  $R_1$  of each unit can represent any one of the substituents described above independently)

(wherein  $R_2$  is any one selected from the group consisting of H, halogen, CN, NO<sub>2</sub>, CH<sub>3</sub>, C<sub>2</sub>H<sub>5</sub>, C<sub>3</sub>H<sub>7</sub>, SCH<sub>3</sub>, CF<sub>3</sub>, C<sub>2</sub>F<sub>5</sub> and C<sub>3</sub>F<sub>7</sub>, and when more than one unit exist,  $R_1$  of each unit can represent any one of the substituents described above independently)

(wherein  $R_3$  is any one selected from the group consisting of H, halogen, CN, NO<sub>2</sub>, CH<sub>3</sub>, C<sub>2</sub>H<sub>5</sub>, C<sub>3</sub>H<sub>7</sub>, CF<sub>3</sub>, C<sub>2</sub>F<sub>5</sub> and C<sub>3</sub>F<sub>7</sub>, and when more than one unit exist,  $R_3$  of each unit can represent any one of the substituents described above independently)

(wherein R<sub>5</sub> is any one selected from the group consisting of H, halogen, CN, NO<sub>2</sub>, COOR', SO<sub>2</sub>R'' (R' is any one selected from the group consisting of H, Na, K, CH<sub>3</sub> and C<sub>2</sub>H<sub>5</sub>; R'' is any one selected from the group consisting of OH, ONa, OK, halogen, OCH<sub>3</sub> and OC<sub>2</sub>H<sub>5</sub>), CH<sub>3</sub>, C<sub>2</sub>H<sub>5</sub>, C<sub>3</sub>H<sub>7</sub>, (CH<sub>3</sub>)<sub>2</sub>-CH and (CH<sub>3</sub>)<sub>3</sub>-C, and when more

above independently)

than one unit exist, R5 of each unit can represent any one of the substituents described

and when more than one unit exist, m and Rz of each unit can independently represent any one of the integers and the substituents described above, respectively)

$$\begin{array}{c}
O \\
CH \\
CH_2
\end{array}$$

$$\begin{array}{c}
CH_2
\end{array}$$

$$\begin{array}{c}
K = 0.8
\end{array}$$

$$\begin{array}{c}
K = 0.8
\end{array}$$

$$\begin{array}{c}
K = 0.8
\end{array}$$

(wherein  $R_a$  is any one selected from the group consisting of H, CN, NO<sub>2</sub>, halogen,  $CH_3$ ,  $C_2H_5$ ,  $C_3H_7$ ,  $CF_3$ ,  $C_2F_5$  and  $C_3F_7$ ; k is an integer selected from the range shown in the same chemical formula; and when more than one unit exist, k and  $R_a$  of each unit can independently represent any one of the integers and the substituents described above, respectively)

(wherein n is an integer selected from the range shown in the same chemical formula, and when more than one unit exist, n of each unit can represent any one of the integers described above independently)

(wherein n is an integer selected from the range shown in the same chemical formula;  $R_b$  is any one selected from the group consisting of H, Na and K; and

when more than one unit exist, n and  $R_b$  of each unit can independently represent any one of the integers and the substituents described above, respectively).

2. (Original) The polyhydroxyalkanoate copolymer according to claim 1, further comprising, per polymer molecule, at least one unit selected from the group consisting of 3-hydroxy-(substituted phenylsulfanyl)alkanoic acid units having chemical formula (7):

(wherein R is any one selected from the group consisting of H, halogen, CN, NO<sub>2</sub>, COO R', SO<sub>2</sub>R'' (R' is any one selected from the group consisting of H, Na, K, CH<sub>3</sub> and C<sub>2</sub>H<sub>5</sub>; R'' is any one selected from the group consisting of OH, ONa, OK, halogen, OCH<sub>3</sub> and OC<sub>2</sub>H<sub>5</sub>), CH<sub>3</sub>, C<sub>2</sub>H<sub>5</sub>, C<sub>3</sub>H<sub>7</sub>, (CH<sub>3</sub>)<sub>2</sub>-CH and (CH<sub>3</sub>)<sub>3</sub>-C, and when more than one unit exist, R of each unit can represent any one of the substituents described above independently; and x is an integer selected from 1 to 7 and can differ for unit).

## 3. (Cancelled).

4. (Original) The polyhydroxyalkanoate copolymer according to claim 1, which has a number average molecular weight of 1,000 to 1,000,000.

5. - 36. (Cancelled).